

STONE SEAL
NATURAL STONE RESTORATION AND CONCRETE POLISHING

Legno+Color



3. About
4. Colour
6. Technical
7. Maintenance
7-9. Installation Styles



Legno+Color

Legno + Color is a continuous, 3-layer surface finish comprising of a 10mm multi-layer wooden parquet which once installed are treated and coated with specialist resins.


The Legno system (in all sizes) comprises of a high quality Oak (Quercus Robur), Oak (Quercus Robur), grade "O", with birch ply support exhibiting chamfered edges, straight end cuts and distinctive surface marks and irregularities.

Legno + Color offers a completely independent style and finish to that of any wood or parquet floor system on the market currently. The unique style and finishing options available through the Kerakoll Design House products allow a finish that is both durable, stylish and soft a silky to the touch.


As standard, each of the Legno products are available in 10 warm colour plus the natural finish (Warm Colour 00)

Warm Collection

WR01




WR02




WR03




WR04




WR05




WR06



WR07



WR08



WR09



WR10






Characteristics and technical information

- First choice mixed-flame European oak, processed and textured by craftsmen in Italy, comprising two layers: surface layer in Oak (Farnian oak plant) and high quality birch plywood support
- Size of the element: width 70 mm, length 1250 mm, thickness 10 mm, of which 4 mm is the surface layer and 6 mm the birch plywood support
- Tongue-and-groove on all 4 sides
- Chamfer on sides only, straight cut at ends
- Pre-polished and to be finished on site with the revolutionary eco-friendly Microresina (Micro resin) Technology pigmentation and protection cycle, which allows the wood to be stained directly on site, ensures full protection of all joints and guarantees colour stability without fading over time
- Eco-friendly protection with low bacterial proliferation
- Suitable as flooring in bathrooms and on radiating substrates
- Dynamic surface: thanks to Kerakoll 3-layer Technology (K3S) the colour of the flooring can be changed quickly and easily
- Laying of Legno is only guaranteed if Kerakoll eco-friendly, high resistance laying systems are used
- CE marked (UNI EN 14342)
- Reaction to fire (EN 13501): Cfl-s1 class
- Formaldehyde measurement (EN 13986 /EN 717): Class E1, compliant with the recommendations of the World Health Organisation
- Thermal conductivity: 0.124 W/m K
- Biological durability: Class 1-2
- Eco-sustainable, in compliance with EUTR no. 995/2010 (Timber regulation)
- Tested in class A+ for VOC emissions (EN ISO 16000)

Legno+Color Kerakoll 3-layer Technology

Legno+Color is a 3-layer surface designed to be decorated and protected on site with a revolutionary micro resin that penetrates in the wood structure becoming a single body. The new material obtained in this way, the fruit of exclusive technology developed at the Kerakoll GreenLab R&D laboratories, guarantees high resistance to abrasion and manual colouring without overlap, for continuous decoration of the whole surface with a new aesthetic appearance that is impossible to recreate at industrial level.



Re-design of the home


Surfaces in Kerakoll 3-layer Technology Legno+Color Large are dynamic, because they can be renewed several times: once they have been applied the design of your home can be changed quickly, by means of a specific sanding operation followed by application of a new colour.

Care and maintenance


Legno+Color is an easy-to-clean continuous surface. To keep it beautiful over time, use SuperSoap, the neutral detergent with lavender extracts, to clean and care for it. To guarantee an even surface finish it is recommended that you use Refresher, the nourishing wax that protects against scratching and prevents wear, in environments subject to more intense foot traffic. In the event of high wear the surface can be completely regenerated using the Care Pro professional treatment. In the event of accidental local spot damage, Legno+Color Large can be repaired quickly using Repair Pro professional gel, available in the 10 Warm Collection shades.

Legno Large Instalation Styles

Diagonal Staggered



Staggered



Width: 70mm


Length: 1250mm

Thickness: 10mm


Colours: 10 Warm Colour + Natural

Legno Medium Instalation Styles


Aligned




Aligned with Border




Diagonal Staggered



Squares



Staggered



Width: 50mm


Length: 400mm

Thickness: 10mm


Colours: 10 Warm Colour + Natural

Legno Small Instalation Styles


Aligned




Aligned with Border




Diagonal Herringbone




Diagonal Staggered



Herringbone



Staggered



Width: 42mm

Length: 300mm

Thickness: 10mm

Colours: 10 Warm Colour + Natural

STONE SEAL

NATURAL STONE RESTORATION AND CONCRETE POLISHING



www.stoneseal.ie
info@stone seal.ie

Unit 10-12 Willsborough Business Park, Clonsghagh Technology Park,
Dublin 17

018770436