
# STONE SE&L

NATURAL STONE RESTORATION AND CONCRETE POLISHING

# Paint





## Paint (P)

Paint is a highly breathable, decorative oily mineral paste, active against mould, fungi and resistant to bacterial proliferation, available in the 10 Warm Collection colours.

Paint is hand made by skilled decorators, and any distinctive marks and irregularities in the surface are proof of its refined and exclusive nature. Paint is indicated for internal and external surfaces (ceilings, walls); for all the environments in the house and for all commercial areas (with the exception of shower cubicles and around kitchen units).

Paint is a water-based oily paste with the addition of pigments. The innovative formulation enables various textures to be obtained: from an ultrafine lined effect modelled by passing the brush, which give extremely refined and elegant environments, to a textile effect obtained by passing the brush again vertically over the ultrafine line, to a lovely glaze effect that enhances the consistency of the plaster. Paint is a high coverage, matt effect paint with a beautiful consistency, soft and smooth to the touch.

# Warm Collection





#### Characteristics and technical information

- Mineral, eco-friendly decoration
- Can be re-applied and re-touched an infinity of times
- EasyClean Tech
- Highly breathable, it leaves walls free to breath and sanitises walls and ceilings
- Active against mould and fungi
- Resistant to bacterial proliferation
- Easy to apply

- Safeguards the health of both people and the environment
- Wash resistance (UNI 10560):≥ 10,000 cycles
- Permeability to water vapour (EN ISO 7783-2):
  Class V1, highly breathable
- Permeability to liquid water(EN 1062-3): Class W3, extremely low dirt collection
- Reaction to fire (EN 13501): Cs1-d0 Class

### Paint technology

Paint is an innovative material, the fruit of exclusive technology developed at the Kerakoll GreenLab R&D laboratories, which has resulted in an oily paste that has no equals among other decorative materials.

### Paint decorative cycle

#### Glaze effect

1<sup>ST</sup> ,2<sup>nd</sup> COAT

- Paint: Decorative oily paste diluted 20%

#### <u>Ultrafine lined effect</u>

1ST COAT

- Paint: Decorative oily paste diluted 20%

2<sup>nd</sup> COAT

— Paint: Decorative oily paste used pure and applied horizontally

#### Textile effect

 $\mathbf{1}^{\text{ST}} \; \text{COAT}$ 

- Paint: Decorative oily paste diluted 20%

2<sup>nd</sup> COAT

- Paint: Decorative oily paste used pure and applied horizontally

3<sub>rd</sub> COAT

- Paint: Decorative oily paste used pure and applied vertically



# STONE SEAL NATURAL STONE RESTORATION AND CONCRETE POLISHING



Unit 10-12 Willsborough Business Park, Clonsghaugh Technology Park,

018770436